Replacement Parts List

RESIDENTIAL & COMMERCIAL IRRIGATION | *Built on Innovation®*

EFFECTIVE NOVEMBER 2022
Supersedes all previous parts lists. Specifications are subject to change without notice.

TABLE OF CONTENTS

ROTORS 1
PGJ-00: Gear-Driven Rotor 1
PGJ-04, -06, -12: Gear-Driven Rotor 2
SRM-04; PGM-04, -06, -12: Gear-Driven Rotor (Before January 2021) 3
SRM-04: Gear-Driven Rotor (After January 2021) 4
PGP-ADJ: Gear-Driven Rotor 5
PGP-ATR: Gear-Driven Rotor 6
PGP-00: Gear-Driven Rotor 7
PGP-00-PRB: Gear-Driven Rotor 8
PGP-04 Ultra, PGP-06 Ultra, PGP-12 CV Ultra: Gear-Driven Rotor 9
PGP-04-PRB Ultra: Gear-Driven Rotor 10
I-20-00: Gear-Driven Rotor 11
I-20-00-PRB: Gear-Driven Rotor 12
I-20-04, I-20-06, I-20-12: Gear-Driven Rotor 13
I-20-04-PRB, I-20-06-PRB: Gear-Driven Rotor 14
I-25-04, I-25-06: Gear-Driven Rotor 15
I-40-04, I-40-06: Gear-Driven Rotor 16
I-50-06: Gear-Driven Rotor 17
I-80: Gear-Driven Rotor 18
I-90: Gear-Driven Rotor 19

ST SYSTEMS 21
ST-90: Gear-Driven Rotor 21
STG-900: Gear-Driven Rotor 22
ST-1600-HSB: Pop-Up & Gear Drive 23
ST-1700V: Valve-in-Head Pop-Up & Gear Drive - INTERNATIONAL USE ONLY 25
ST-173026-B Vault 27
ST-243636-B Vault 28

NOZZLES 29
MP Rotator® and Spray Nozzles 29

SPRAYS 30
PSU-02, -04, -06: PS Ultra Sprinkler Bodies 30
PROS-02, -03, -04, -06, -12: Pro-Spray® Sprinkler Bodies 31
PRS30-04, -06, -12: Pro-Spray Pressure-Regulated Sprinkler Bodies 32
PRS40-04CV, -06CV, -12CV: Pro-Spray Pressure-Regulated Sprinkler Bodies 33

VALVES 34
SRV: Plastic Valve 34
PGV-ASV: Plastic Valve, 6-Bolt Bonnet Design 35
PGV-ASV: Plastic Valve, 4-Bolt Bonnet Design 36
PGV-100G, PGV-101G: Plastic Valve 37
PGV Jar-Top: Plastic Valve 38
PGV-100A, PGV-101A: Plastic Valve 39
PGV-151, PGV-201: Plastic Valve 40
HPV: Plastic Valve 41
IBV-101G: Brass Valve 42
IBV-151G, IBV-201G: Brass Valves 43
IBV-301G: Brass Valve 44
ICV-101G: Plastic Valve 45
ICV-151G, ICV-201G: Plastic Valve 46
ICV-301: Plastic Valve 47
Accu Sync® Pressure Regulator 48
ICZ-101: Drip Control Zone Kit 49
ICZ-101-LF: Drip Control Zone Kit 50

MICRO IRRIGATION 51
ICZ-151: Drip Control Zone Kit 51
ICZ-201: Drip Control Zone Kit 52
PCZ-101: Drip Control Zone Kit 53
PCZ-101: Drip Control Zone Kit (Before January 2014) 54
ACZ-075: Drip Control Zone Kit 55
ACZ-075: Drip Control Zone Kit (Before January 2014) 56
IBZ-101: Brass Valve Drip Control Zone Kit 57
IBZ-101-LF: Brass Valve Drip Control Zone Kit 58
IBZ-151: Brass Valve Drip Control Zone Kit 59
IBZ-201: Brass Valve Drip Control Zone Kit 60

QUICK COUPLER VALVES 61
HQ3RC: Quick Coupler Valve 61
HQ33RC, HQ33LRC, HQ33LRCR: Quick Coupler Valve 62
HQ44RC, HQ44LRC, HQ44LRCR: Quick Coupler Valve 63
HQ44RCAW, HQ44LRCAW, HQ44LRCAWR: Quick Coupler Valve 64
HQ5RC, HQ5LRC, HQ5LRCR: Quick Coupler Valve 65

STANDARD CONTROLLERS 66
X2™: Wi-Fi Capable Outdoor Mount Controller 66
X-Core®: Indoor/Outdoor Mount Controller 67
Pro-C® and PCC: Indoor/Outdoor Mount Controller 68
I-Core®: Plastic Cabinet 69
I-Core: Metal Cabinet 70
I-Core: Plastic Pedestal 71

HYDRAWISE® CONTROLLERS 72
HC: Wi-Fi Controller 72
HPC: Wi-Fi Controller 73
Pro-HC: Wi-Fi Controller 74
HCC: Wi-Fi Controller, Plastic Cabinet 75
HCC: Wi-Fi Controller, Metal Cabinet 76

CENTRALUS™ CONTROLLERS 77
ICC2: Plastic Cabinet 77
ICC2: Metal Cabinet 78
ACC2 Decoder Replacement Parts A2C-75D-M, A2C-75D-P 79
ACC2 Conventional Replacement Parts (A2C-1200-M, A2C-1200-P) 80
Plastic Pedestal (2017 to Present) 81

IMMS™ ONLINE CONTROLLERS 82
ACC: Pedestal Controller 82
ACC: Wall-Mount Controller 83
Communications Modules and Parts 84
IMMS-CCC: Irrigation Management and Monitoring System 85

DECODERS AND ACCESSORIES 86
ICD-HP Components 86
IDS: Plastic Pedestal 87
IDS: Controller Components 88
ROAM: Remote Control Unit 89
ROAM XL: Remote Control Unit 90
PSR: Pump Start Relay 91
PSR-B: Pump Start Relay Booster 92

BATTERY-POWERED CONTROLLERS 93
NODE: Battery-Powered Controller 93
NODE-BT: Bluetooth® Battery-Powered Controller 94
XC Hybrid: Mounted Battery-Powered Plastic Controller 95
XC Hybrid: Mounted Battery-Powered Stainless Steel Controller 96

SENSORS 97
Mini-Clik®: Rain Sensor 97
Wired Rain-Clik®: Rain Sensor 98
Wireless Mini-Clik: Rain Sensor 99
Wireless Rain-Clik: Rain Sensor 100
Solar Sync®: ET Sensor 101
ET System 102

ACCESSORIES 103

STATEMENT OF WARRANTY 105

PGJ-00: GEAR-DRIVEN ROTOR

ITEM	DESCRIPTION		CATALOG NO.
1	Rubber Cover	Black	537800SP
		Purple	537810
2	Nozzle Retention Screw		537900
3	Screen		272000
4	O-Ring		464500
5	Shrub Head Base		372800
6	Nozzle Rack (with 8 Nozzles)		538700SP



PGJ-04, -06, -12: GEAR-DRIVEN ROTOR

ITEM	DESCRIPTION		CATALOG NO.
1	Rubber Cover	Black	537800SP
		Black with Check Valve ID	537805
		Purple with Check Valve ID	537810
2	Body Cap		537400
3	Riser Seal		538100SP
4	Spring Seat		326500SP
5	Nozzle Retention Screw		537900
6	Screen		272000
7	Check Valve		462078SP
8	Nozzle Rack (with 8 Nozzles)		538700SP
9	Body	4" (10 cm)	537300
		6" (15 cm)	538400
		12" (30 cm)	538500



SRM-04; PGM-04, -06, -12: GEAR-DRIVEN ROTOR (BEFORE JANUARY 2021)

ITEM	DESCRIPTION	CATALOG NO.
1	Body Cap	270700
2	Riser Seal	326400SP
3	Spring Seat	326500SP
4	Nozzle Retention Screw (Bag of 25)	463262
5	Screen (White)	272000
6	Check Valve	462078SP
7	Screen/Check Valve Assembly	302500
8	Nozzle Rack (with 0.50, 0.75, 1.0, 1.5, 2.0, 3.0)	327000SP



SRM-04: GEAR-DRIVEN ROTOR (AFTER JANUARY 2021)

ITEM	DESCRIPTION	CATALOG NO.
1	Body Cap	537400
2	Riser Seal	538100SP
3	Spring Seat	326500SP
4	Nozzle Retention Screw	537900
5	Screen	272000
6	Check Valve	462078SP
7	Nozzle Rack (with 8 Nozzles)	538701SP
8	Body 4" (10 cm)	537300



PGP-ADJ: GEAR-DRIVEN ROTOR

ITEM	DESCRIPTION	CATALOG NO.
1	Blue Nozzle Set, 8 Nozzles	665300SP
2	Red Nozzle Set, 12 Nozzles	130900SP
3	Gray Low-Angle Nozzles, 7 Nozzles	233200SP
4	Setscrew	120300SP
5	Protective Rubber Cover, Black (ADJ) (Fits Units Manufactured After 2/93)	269400SP
6	Standard Filter Screen, Black	102600
7	Body Cap	103700SP
8	Riser Seal (100-Pack)	181500SP
9	Spring Seat	189900SP
10	Filter Screen/Check Valve Subassembly	142300SP
11	Body 4" (10 cm)	100200



PGP-ATR: GEAR-DRIVEN ROTOR

ITEM	DESCRIPTION	CATALOG NO.
1	Standard Nozzle Set (12), 25° Trajectory	130900SP
2	Low-Angle Nozzle Set (7), 13° Trajectory	233200SP
3	Setscrew	120300SP
4	Protective Rubber Cover, Black (ADJ)	269400SP
5	Standard Filter Screen, Black	102600
6	Body Cap	103700SP
7	Riser Seal (100-Pack)	181500SP
8	Spring Seat	189900SP



PGP-00: GEAR-DRIVEN ROTOR

ITEM	DESCRIPTION		CATALOG NO.
1	Standard (8) and Low-Angle (4) Nozzle Set, Blue and Gray		782900SP
2	Short-Radius Nozzle Set (6)	Black	466100SP
3	Nozzle Retainer Screw – Headed with Slot		180900
4	Rubber Cover	Black	183600SP
		Purple	183605SP
5	Standard Filter Screen	Black	102600
6	O-Ring		170600
7	Standard Shrub Head Base		106900
OPTIONS			
8	Check Valve Spring		235000
9	Filter Screen/Check Valve Subassembly		142300SP
10	Shrub Head Base – Check Valve Model		234900



PGP-00-PRB: GEAR-DRIVEN ROTOR

ITEM	DESCRIPTION		CATALOG NO.
1	Standard (8) and Low-Angle (4) Nozzle Set, Blue and Gray		782900SP
2	Short-Radius Nozzle Set (6)	Black	466100SP
3	Nozzle Retainer Screw – Headed with Slot		180900
4	Rubber Cover	Black	183600SP
		Purple	183605SP
5	Standard Filter Screen	Black	102600
6	O-Ring		170600
7	Standard Shrub Head Base		N/A
OPTIONS			
8	Check Valve Spring		235000
9	Filter Screen/Check Valve Subassembly		142300SP
10	Shrub Head Base with Pressure Regulator		N/A



PGP-04 ULTRA, PGP-06 ULTRA, PGP-12 CV ULTRA: GEAR-DRIVEN ROTOR

ITEM	DESCRIPTION		CATALOG NO.
1	Standard (8) and Low-Angle (4) Nozzle Set, Blue and Gray		782900SP
2	Short-Radius Nozzle Set (6), Black		466100SP
3	Nozzle Retainer Screw - Headed with Slot		180900
4	Rubber Cover Assembly	Black	183600SP
		Purple	183605SP
5	Filter Screen - Standard Model		102600
6	Check Valve Screen Assembly		142300SP
7	Body Cap		103700SP
8	Slip Washer - PGP-12-CV Only		296100
9	Riser Seal		181500SP
10	Spring Seat		189900SP
11	Body	4" (10 cm)	100200
		6" (15 cm)	434701
		12" (30 cm)	179100



PGP-04-PRB ULTRA: GEAR-DRIVEN ROTOR

ITEM	DESCRIPTION		CATALOG NO.
1	Standard (8) and Low-Angle (4) Nozzle Set, Blue and Gray		782900SP
2	Short-Radius Nozzle Set (6), Black		466100SP
3	Nozzle Retainer Screw - Headed with Slot		180900
4	Rubber Cover Assembly	Black	183600SP
		Purple	183605SP
5	Filter Screen - Standard Model		102600
6	Check Valve Screen Assembly		142300SP
7	Body Cap		103700SP
8	Slip Washer - PGP-12-CV Only		296100
9	Riser Seal		N/A
10	Spring Seat		189900SP
11	Body with Pressure Regulator	4" (10 cm)	N/A



I-20-00: GEAR-DRIVEN ROTOR

ITEM	DESCRIPTION		CATALOG NO.
1	Standard (8) and Low-Angle (4) Nozzle Set, Blue and Gray		782900SP
2	Standard (8) and Low-Angle (4) Nozzle Set, Navy Blue and Gray		356605SP
3	Short-Radius Nozzle Set (6), Black		466100SP
4	Nozzle Retainer Screw		180900
5	Rubber Cover Assembly	Black	352476SP
		Purple	352478SP
6	Check Valve Spring		235000
7	Check Valve Screen Assembly		142300SP
8	O-Ring		170600
9	Shrub Head Base - Check Valve Model		234900



I-20-00-PRB: GEAR-DRIVEN ROTOR

ITEM	DESCRIPTION		CATALOG NO.
1	Standard (8) and Low-Angle (4) Nozzle Set, Blue and Gray		782900SP
2	Standard (8) and Low-Angle (4) Nozzle Set, Navy Blue and Gray		356605SP
3	Short-Radius Nozzle Set (6), Black		466100SP
4	Nozzle Retainer Screw		180900
5	Rubber Cover Assembly	Black	352476SP
		Purple	352478SP
6	Check Valve Spring		235000
7	Check Valve Screen Assembly		142300SP
8	O-Ring		170600
9	Shrub Head Base with Pressure Regulator		N/A



I-20-04, I-20-06, I-20-12: GEAR-DRIVEN ROTOR

ITEM	DESCRIPTION		CATALOG NO.
1	Standard (8) and Low-Angle (4) Nozzle Set, Blue and Gray		782900SP
2	Standard (8) and Low-Angle (4) Nozzle Set, Navy Blue and Gray		356605SP
3	Short-Radius (6) Nozzle Set, Black		466100SP
4	Nozzle Retainer Screw		180900
5	Rubber Cover Assembly	Black	352476SP
		Purple	352478SP
6	Filter Screen with Check Valve Assembly		142300SP
7	Body Cap		356000
8	Slip Washer	I-20-04/I-20-06	102300
		I-20-12 Only	296100
9	Riser Seal	I-20-04	252500SP
		I-20-06	252500SP
		I-20-12	181500SP
10	Spring Seat	I-20-04	227800
		I-20-06	227800
		I-20-12	189900SP
11	I-20 Shutoff Cap Assembly		296000
12	Body	4" (10 cm)	229200
		6" (15 cm)	434700
		12" (30 cm)	404200



I-20-04-PRB, I-20-06-PRB: GEAR-DRIVEN ROTOR

ITEM	DESCRIPTION		CATALOG NO.
1	Standard (8) and Low-Angle (4) Nozzle Set, Blue and Gray		782900SP
2	Standard (8) and Low-Angle (4) Nozzle Set, Navy Blue and Gray		356605SP
3	Short-Radius (6) Nozzle Set, Black		466100SP
4	Nozzle Retainer Screw		180900
5	Rubber Cover Assembly	Black	352476SP
		Purple	352478SP
6	Filter Screen with Check Valve Assembly		142300SP
7	Body Cap		356000
8	Slip Washer	I-20-04/I-20-06	102300
9	Riser Seal	I-20-04	252500SP
		I-20-06	252500SP
10	Spring Seat	I-20-04	227800
		I-20-06	227800
11	I-20 Shutoff Cap Assembly		296000
12	Body	4" (10 cm)	N/A
		6" (15 cm)	N/A



I-25-04, I-25-06: GEAR-DRIVEN ROTOR

ITEM	DESCRIPTION		CATALOG NO.
1	Nozzle Pack (1 each 7, 10, 15, 20, 25)		460010SP
		4 - Yellow	463401SP
		7 - Orange	463403SP
		8 - Lt. Brown	463404SP
		10 - Lt. Green	463405SP
		13 - Lt. Blue	463406SP
		15 - Gray	463407SP
		18 - Red	463408SP
		20 - Dk. Brown	463409SP
		23 - Dk. Green	463410SP
		25 - Dk. Blue	463411SP
		28 - Black	463412SP
2	Nozzle Retainer Screw		333900
3	Filter Screen/Check Valve Assembly, White		303700SP
4	Rubber Cover Screw (2 Required)		334000
5	Rubber Cover Assembly (Logo Base and Rubber Cover) Before 12/01/2013	Black	344605
		Black SS	344635
		Purple	344615
		Purple SS	344640
		Brown SS	344625
	Rubber Cover Assembly (Logo Base and Rubber Cover) After 12/01/2013	Black	831000
		Black SS	831003
		Purple	831001
		Purple SS	831004
		Brown SS	831002
6	Body Cap Assembly (Before 12/02/2013)		341500
	Body Cap Assembly (After 12/02/2013)		828500
7	Riser Seal Slip Washer	Gray (After 12/02/2013)	827600
8	Riser Seal	Black (Before 12/02/2013)	221200
		White (After 12/02/2013)	827500
9	Spring Seat	Gray (After 12/02/2013)	827800
10	I-25/I-40/I-50 Shutoff Cap		223200
11	I-25/I-40/I-50 Blowout Cap - for 1½" (3.8 cm) PVC Pipe		345400
12	Body	4" (10 cm) NPT	336405
		4" (10 cm) BSP	336410
		6" (15 cm) NPT	614705
		6" (15 cm) BSP	614710



I-40-04, I-40-06: GEAR-DRIVEN ROTOR

ITEM	DESCRIPTION		CATALOG NO.
1	Adjustable Nozzle Pack (1 each 8, 10, 13, 15, 23, 25)		462458SP
	Nozzles (Bag of 25)	8 - Lt. Brown	461144
		10 - Lt. Green	461145
		13 - Lt. Blue	461146
		15 - Gray	461147
		23 - Dk. Green	461148
		25 - Dk. Blue	462436
	Opposing Nozzle Pack (1 each 15, 18, 20, 23, 25, 28)		462459SP
2	Nozzle Retainer Screw		333900
3	Diffuser Pin		245400
4	Filter Screen/Check Valve Assembly, White		303700SP
5	Model Number Button	I-40	252705
6	Feature Designation Button	Blank	252845
		HS	252855
		ON	252850
7	Rubber Cover Screw (2 Required)		334000
8	Rubber Cover Assembly (Includes Item 9)	Black	828300
		Brown	828301
		Purple	828302
9	Rubber Cover Washer		828400
10	Body Cap Assembly	STD	828700
		ON	831400
11	Riser Seal Slip Washer	Gray After 12/02/2013	827600
12	Riser Seal	Black Before 12/02/2013	221200
		White After 12/02/2013	827500
13	Spring Seat	Gray After 12/02/2013	827800
14	I-25/I-40/I-50 Shutoff Cap		223200
15	I-25/I-40/I-50 Blowout Cap - for 1½" (3.8 cm) PVC Pipe		345400
16	Body	4" (10 cm) NPT	336405
		4" (10 cm) BSP	336410
		6" (15 cm) NPT	614705
		6" (15 cm) BSP	614710



I-50-06: GEAR-DRIVEN ROTOR

ITEM	DESCRIPTION		CATALOG NO.
1	Adjustable Nozzle Pack (1 each 8, 10, 13, 15, 23, 25)		462458SP
	Nozzles (Bag of 25)	8 - Lt. Brown	461144
		10 - Lt. Green	461145
		13 - Lt. Blue	461146
		15 - Gray	461147
		23 - Dk. Green	461148
		25 - Dk. Blue	462436
	Opposing Nozzle Pack (1 each 15, 18, 20, 23, 25, 28)		462459SP
2	Nozzle Retainer Screw		333900
3	Diffuser Pin		245400
4	Filter Screen/Check Valve Assembly, Gray		993900
5	Screw Cover Button	Blank	252845
		ON	252850
6	Rubber Cover Screw (2 Required)		334000
7	Rubber Cover Assembly (Includes Item 8)	Black	996900
		Purple	996901
8	Rubber Cover Washer		253000
9	Body Cap Assembly	STD	828700
		ON	831400
10	Riser Seal Slip Washer	Gray	827600
11	Riser Seal	White	827500
12	Spring Seat	Gray	827800
13	I-25/I-40/I-50 Shutoff Cap		223200
14	I-25/I-40/I-50 Blowout Cap - for 1½" (3.8 cm) PVC Pipe		345400
15	Body	6" (15 cm) NPT	614705
		6" (15 cm) BSP	614710





I-80: GEAR-DRIVEN ROTOR

ITEM	DESCRIPTION		CATALOG NO.
1	Screw - Logo Cap Retainer		189755
2	Rubber Logo Cap Assembly, Black		255300
3	Yoke - Secondary Nozzle Housing		254500
4	O-Ring - Yoke Seal (2 Used)		252104
5	Screw - Primary Nozzle Retainer		180900
6	Seal Block Assembly with O-Ring		517100
7	O-Ring - Seal Block		549400
8	Spring - Riser Retraction		553700
9	Face Seal		256500
10	Ratchet Ring/Spring Seat		255000
11	Stator Base (For Plate 14)		256600
12	Plate - Stator Adjustment, Nozzles 23-53		266500
13	Screen/Check Valve - Riser Inlet		271900
14	Primary Nozzles, Each	23 - Green	272101
		25 - Blue	272102
		33 - Gray	272103
		38 - Red	272104
		43 - Dk. Brown	272105
		48 - Dk. Green	272106
		53 - Dk. Blue	272107
15	Short-Range Nozzles, Each	STD - Orange - Nozzles	803603
		ON - Tan - Nozzles	803611
16	Mid-Range Nozzles, Each	STD - Lt. Green - Nozzles	315313
		ON - Lt. Blue - Nozzles	315311
17	Plug - Nozzle, Black		315300
18	Yoke Assembly - Includes Items 3, 4, 15, 16, and 17	STD - For Primary Nozzles 23 - 53	863502
		ON - For Primary Nozzles 25 - 53	863506
19	Nozzle Pack, 23 - 38	STD - Primary Nozzles 23 - 38, One Lt. Green Mid-Range Nozzle, One Orange Short-Range Nozzle	460024
		ON - Primary Nozzles 23 - 38, One Lt. Blue Mid-Range Nozzle, One Tan Short-Range Nozzle	460055
20	Nozzle Pack, 43 - 53	STD - Primary Nozzles 43 - 53, One Lt. Green Mid-Range Nozzle, One Orange Short-Range Nozzle	460025
		ON - Primary Nozzles 43 - 53, One Lt. Blue Mid-Range Nozzle, One Tan Short-Range Nozzle	460056
21	Snap Ring Assembly	Black	450100
		Purple	450105
22	Body Cap		943900



I-90: GEAR-DRIVEN ROTOR

ITEM	DESCRIPTION		CATALOG NO.
1	Rubber Cover Screw (1 Required)		351800SP
2	Rubber Cover Assembly	ADV, Black	529000
		36V, Black	528900
		ARV, Purple	529005
		3RV, Purple	528905
3	Body Cap Assembly		525000
4	Retainer Cap Screws (2 Required)		334000
5	Nozzle Retainer Screw (5 Required)		333900
6	Retainer Cap (6/11 and After) - All		197200
7	Seal Block*		171710*
8	O-Ring Seal*		171600*
9	Retraction Spring*		171900*
10	Face Seal, Black*		406000*
11	Bumper, Gray*		171800*
12	Stator Adjustment Plate		052833
13	Screen Assembly		525200
14	Body	NPT - Gray	525100SP
		BSP - Black	525105SP

**Parts 7–11 are required for the new I-90 Seal Replacement Kit*



I-90: GEAR-DRIVEN ROTOR (CONT. FROM PAGE 15)

ITEM	DESCRIPTION		CATALOG NO.
15	Nozzle Pack (1 each 25, 33, 38, 43, 48, 53, 63, 73)		461204SP
16	Primary Nozzles (Sold in Increments of 10)	25 - Lt. Blue	460011
		33 - Gray	464363
		38 - Red	464364
		43 - Dk. Brown	464365
		48 - Dk. Green	464366
		53 - Dk. Blue	464367
		63 - Black	464368
		73 - Orange	460012
18	Short-Range Nozzle - All (5/11 and Prior) (Left, Black) (Sold in Increments of 10)		439100
19	Short-Range Nozzle - All (6/11 and After) (Left, Red) (Sold in Increments of 10)		191800
20	Mid-Range Nozzle (5/11 and Prior) (Sold in Increments of 10)	Right, Green ADV, ARV	439000
		Right, Blue 36V, 3RV	455400
	Mid-Range Nozzle (6/11 and After) (Sold in Increments of 10)	Right, Green ADV, ARV	195701
		Right, Blue 36V, 3RV	195704
21	Nozzle Plug - All (6/11 and After) (Left, Black) (Sold in Increments of 10)		195803SP
	Nozzle Plug - All (6/11 and After) (Right, Black) (Sold in Increments of 10)		195703SP

(Please refer to the illustration on page 15)



ST-90: GEAR-DRIVEN ROTOR

ITEM	DESCRIPTION		CATALOG NO.
1	Rubber Cover Screw (1 Required)		351800SP
2	Rubber Cover Assembly, Green		208900SP
3	Body Cap Assembly		525000
4	Retainer Cap Screws (2 Required)		334000
5	Nozzle Retainer Screw (5 Required)		333900
6	Retainer Cap – All		197200SP
7	Seal Block*		171710*
8	O-Ring Seal*		171600*
9	Retraction Spring*		171900*
10	Face Seal,- Black*		406000*
11	Bumper, Gray*		171800*
12	Riser Assembly (Includes Items 4 - 13)		517800
13	Screen Assembly		524600SP
14	Primary Nozzles (Sold in Increments of 10)	73 - Orange	460012
		83 - Tan	464369SP
16	Nozzle Plug (Left, Green) (Sold in Increments of 10)		195802
17	Nozzle Plug (Right, Green) (Sold in Increments of 10)		195702

Parts 7–11 are required for the new I-90 Seal Replacement Kit







STG-900: GEAR-DRIVEN ROTOR

ITEM	DESCRIPTION		CATALOG NO.
1	Screw - Logo Cap Retainer		351800SP
2	Rubber Logo Cap, Green		242505SP
3	Snap Ring Assembly, Black		430700
4	Screw - Nozzle Retainer (5 Used)		333900
5	Seal Block		171700
6	O-Ring - Seal		171600
7	Spring - Riser Retraction		171900
8	Face Seal, Black		406000
9	Bumper, Gray		171800
10	Riser Assembly - (Includes Items 4-11)		517900
11	Screen - Riser Inlet		524600
12	Primary Nozzles (Sold in Increments of 10)	73 - Orange	460012
		83 - Tan	464369
13	Nozzle Plug (Left, Green) (Sold in Increments of 10)		195802
14	Nozzle Plug (Right, Green) (Sold in Increments of 10)		195702
15	Lid - Flange Compartment		493605
16	Tube Retainer - ⅛" (3 mm) Tubing		476000
17	Connector - ¼" x ⅛" (6 mm x 3 mm) Tubing		402100
18	Tube Plug - ¼" (6 mm) Tubing		052608
19	Tube Retainer - ¼" (6 mm) Tubing		052610
20	Body Assembly, STG-900 (Includes Items 16-22)		521000
21	Cap, Protective - Solenoid Wire Hole		643900
22	Cap, Protective		456800
23	Snap Ring Tool		251000SP





ST-1600-HSB: POP-UP & GEAR DRIVE

ITEM	DESCRIPTION		CATALOG NO.
1	Primary Nozzle Retainer		502402SP
2	Primary Nozzle Kit	16	784800SP
		18	784801SP
		20	784802SP
		22	784803SP
		24	784804SP
		26	784805SP
3	Secondary Nozzle Kit	Female-Threaded Nozzle with Elbow	10005900SP
		Male-Threaded Nozzle	10006100SP
4	Speed Control Knob		510101SP
5	Gearbox Cover		502455
6	Turbine Assembly Kit		10006200SP
7	Reversing Kit		510164SP
8	Turret Inlet Kit		510167SP
9	Threaded Rotor Inlet		893600SP
10	Arc Rings (2)		205617SP
11	Gear Drive Assembly		881900SP
12	Rotor Cover Kit		204205SP
13	Upper Body Kit		502432SP
14	Riser Assembly		502432SP
15	Rubber Boot		502423
16	Lower Body Kit		502442SP
17	Gear-Drive Removal/Installation Tool		517600SP

Illustration on next page

ST-1600-HSB: POP-UP & GEAR DRIVE



ST-1700V: VALVE-IN-HEAD POP-UP & GEAR DRIVE - INTERNATIONAL USE ONLY

ITEM	DESCRIPTION		CATALOG NO.
1	Primary Nozzle Retainer		502402SP
2	Primary Nozzle Kit	16	784800SP
		18	784801SP
		20	784802SP
		22	784803SP
		24	784804SP
3	Secondary Nozzle Kit		10006100SP
4	Speed Control Knob		510101SP
5	Gearbox Cover		502455
6	Turbine Assembly Kit		10006200SP
7	Reversing Kit		510164SP
8	Turret Inlet Kit		510167SP
9	Threaded Rotor Inlet		893600SP
10	Arc Rings (2)		205617SP
11	Gear Drive Assembly		881900SP
12	Rotor Cover Kit		204205SP
13	Upper Body Kit		10006300SP
14	Solenoid Actuator Kit		10006400SP
15	Actuator Cover		10006500SP
16	Riser Assembly		502436SP
17	Rubber Boot		502423
18	Snap Ring		10006600SP
19	Valve-In-head		10006700SP
20	Lower Body Kit		10006800SP
21	Gear Drive Removal/Installation Tool		517600SP
22	Valve-in-Head Removal Tool		10000100SP
23	Snap Ring Removal Tool		251000SP

ST-1700V: VALVE-IN-HEAD POP-UP & GEAR DRIVE - INTERNATIONAL USE ONLY



ST-173026-B VAULT

ITEM	DESCRIPTION	CATALOG NO.
1	Cover - Half - Circular Cover Side	953600
2	Cover - Half - Rotor Side	953800
3	Cover Circular - Small	910400



ST-243636-B VAULT

ITEM	DESCRIPTION	CATALOG NO.
1	Cover - Half - Circular Cover Side	916200
2	Cover - Half - Rotor Side	916100
3	Cover - Circular - Small	910400
4	Quick Coupler Bracket	ST-BKT-QCV



MP ROTATOR® AND SPRAY NOZZLES

ITEM	DESCRIPTION		CATALOG NO.
1	MP Rotator Filter Screen	Very Fine - MP800SR90	MP8SCREENSP
		Fine - MP800SR360, MP815, MP1000, MP2000, MP Strips, MPCORNER	MPFSCREENSP
		Coarse - MP3000, MP3500	MPCSCREENSP
2	Spray Nozzle Filter Screen	Fine, Gray Filter Screen	464716SP
		Coarse, Black Filter Screen	464717SP
3	Bubbler Filter Screen		207700SP
4	MP Adjustment Tool		MPTOOL
5	Pressure Gauge Adapter		MPADAPTERSP
NS	Pressure Gauge with Adapter		MPGAUGE

NS = Not Shown





PSU-02, -04, -06: PS ULTRA SPRAY SPRINKLER

ITEM	DESCRIPTION		CATALOG NO.
1	Body Cap	Standard, Black	162600
2	Spring Seat		181100
3	Ratchet Ring		162700
4	Filter Screen (4" (10 cm) and 6" (15 cm) Models Only)		162900SP
5	Check Valve Assembly		462237SP



PROS-02, -03, -04, -06, -12: PRO-SPRAY® SPRINKLER BODIES

ITEM	DESCRIPTION		CATALOG NO.
1	Snap-On Reclaimed Cap	Purple	PROSRCCAPSP
2	Body Cap	Standard, Black	458500SP
		With Check Valve ID, Black	458505
		Reclaimed Body Cap, Purple	458520SP
		Reclaimed with Check Valve ID, Purple	458525
		Pro-Spray Shutoff Cap	213600SP
3	Riser Seal		472300SP
4	Ratchet Ring		629300
5	Check Valve Assembly		437400SP



PRS30-04, -06, -12: PRO-SPRAY PRESSURE-REGULATED SPRINKLER BODIES

ITEM	DESCRIPTION		CATALOG NO.
1	Snap-On Reclaimed Cap	Purple	PROSRCCAPSP
2	Body Cap	Standard, Brown	458551
		With Check Valve ID, Brown	458554
		Reclaimed Body Cap with Check Valve ID, Purple	458560
		Pro-Spray Shutoff Cap	213600SP
3	Riser Seal		472300SP
4	Ratchet Ring		629300
5	Check Valve Assembly		437400SP



PRS40-04, -06, -12: PRO-SPRAY PRESSURE-REGULATED SPRINKLER BODIES

ITEM	DESCRIPTION		CATALOG NO.
1	Snap-On Reclaimed Cap	Purple	PROSRCCAPSP
2	Body Cap	Standard with Check Valve ID, Gray	458556
		Reclaimed with Check Valve ID, Purple	458562
		Pro-Spray Shutoff Cap	213600SP
3	Riser Seal		472300SP
4	Ratchet Ring		629300
5	Check Valve Assembly		437400SP



SRV: PLASTIC VALVE

ITEM	DESCRIPTION		CATALOG NO.
1	Solenoid Assembly (Includes Items 2 & 3)	AC Solenoid	606800
		DC-Latching Solenoidd	458200
2	O-Ring		262600
3	Solenoid Seal		364400
4	Bonnet Screw		427300
5	Bonnet Without Flow Control		556100
6	Bonnet With Flow Control		556000
7	Diaphragm Spring		266000SP
8	Diaphragm Assembly		332100SP
9	Diaphragm Support Ring		331300SP
10	Flow Control Handle, Black		269200



PGV-ASV: PLASTIC VALVE, 6-BOLT BONNET DESIGN

ITEM	DESCRIPTION		CATALOG NO.
1	Solenoid Assembly (Includes Items 2 & 3)	AC Solenoid	606800
		DC-Latching Solenoid	458200
2	O-Ring		262600
3	Solenoid Seal		364400
4	Bonnet Screw		427300
5	Bleed Screw		546700SP
6	Bonnet With Flow Control & Bleed Screw		187100
7	Diaphragm Spring		266000SP
8	Diaphragm Assembly		332100SP
9	Diaphragm Support Ring		331300SP
10	AVB/ASV Repair Kit	¾" (20 mm)	590307SP
		1" (25 mm)	590306SP
11	Flow Control Handle	Black	269200
		Purple	269205
12	Reclaimed ID Tag, Purple (10-Pack)		LIT-700



PGV-ASV: PLASTIC VALVE, 4-BOLT BONNET DESIGN

ITEM	DESCRIPTION		CATALOG NO.
1	Solenoid Assembly (Includes Items 2 & 3)	AC Solenoid	606800
		DC-Latching Solenoid	458200
2	O-Ring		262600
3	Solenoid Seal		364400
4	Bonnet Screw		427300
5	Bleed Screw		546700SP
6	Bonnet With Flow Control & Bleed Screw		556000
7	Diaphragm Spring		266000SP
8	Diaphragm Assembly		332100SP
9	Diaphragm Support Ring		331300
10	AVB/ASV Repair Kit	¾" (20 mm)	590307SP
		1" (25 mm)	590306SP
11	Flow Control Handle	Black	269200
		Purple	269205



PGV-100G, PGV-101G: PLASTIC VALVE

ITEM	DESCRIPTION		CATALOG NO.
1	Solenoid Assembly (Includes Items 2 & 3)	AC Solenoid	606800
		DC-Latching Solenoid	458200
2	O-Ring		262600
3	Solenoid Seal		364400
4	Bonnet Screw		427300
5	Bleed Screw		546700SP
6	Bonnet Without Flow Control With Bleed Screw		556100
7	Bonnet With Flow Control & Bleed Screw		556000
8	Diaphragm Spring		266000SP
9	Diaphragm Assembly		332100SP
10	Diaphragm Support Ring		331300
11	Flow Control Handle	Black	269200
		Purple	269205
12	Reclaimed ID Tag, Purple (10-Pack)		LIT-700



PGV JAR-TOP: PLASTIC VALVE

ITEM	DESCRIPTION		CATALOG NO.
1	Solenoid Assembly (Includes Items 2 & 3)	AC Solenoid	606800
		DC-Latching Solenoid	458200
2	O-Ring		262600
3	Solenoid Seal		364400
4	Bonnet Ring		476100
5	Bleed Screw		546700SP
6	Bonnet Assembly Without Flow Control		476700
7	Bonnet Assembly With Flow Control		476800
8	Diaphragm Spring		266000SP
9	Diaphragm Assembly		332100SP
10	Diaphragm Support Ring		331300SP
11	Flow Control Handle	Black	269200
		Purple	269205
12	Reclaimed ID Tag, Purple (10-Pack)		LIT-700



PGV-100A, PGV-101A: PLASTIC VALVE

ITEM	DESCRIPTION		CATALOG NO.
1	Solenoid Assembly (Includes Items 2 & 3)	AC Solenoid	606800
		DC-Latching Solenoid	458200
2	O-Ring		262600
3	Solenoid Seal		364400
4	Bonnet Screw		427300
5	Bleed Screw		546700SP
6	Bonnet With Flow Control & Bleed Screw		556000
7	Bonnet Without Flow Control With Bleed Screw		556100
8	Diaphragm Spring		266000SP
9	Diaphragm Assembly		332100SP
10	Diaphragm Support Ring		331300P
11	Flow Control Handle	Black	269200
		Purple	269205
12	Reclaimed ID Tag, Purple (10-Pack)		LIT-700



PGV-151, PGV-201: PLASTIC VALVE

ITEM	DESCRIPTION		CATALOG NO.
1	Solenoid Assembly (Includes Items 2 & 3)	AC Solenoid	606800
		DC-Latching Solenoid	458200
2	O-Ring		262600
3	Solenoid Seal		364400
4	Bleed Screw Assembly (Qty. 5)	1½" (40 mm)	427000SP
		2" (50 mm)	427100SP
5	Flow Control Handle (Qty. 5)	Black	607100SP
		Purple	607105SP
6	Bonnet Screw		472800
7	Bonnet	1½" (40 mm)	414000SP
		2" (50 mm)	415500SP
8	Flow Control Stem Assembly (Includes Stem, Stem Nut, O-Ring)	1½" (40 mm)	421500SP
		2" (50 mm)	414600SP
	Flow Control Stem	1½" (40 mm)	606900
		2" (50 mm)	607000
	Flow Control Stem Nut	1½" (40 mm)	413000
		2" (50 mm)	414700
	Flow Control Stem O-Ring	1½" & 2" (40 mm & 50 mm)	412900
9	Spring	1½" (40 mm)	412300
		2" (50 mm)	414200
10	Diaphragm Assembly	1½" (40 mm)	414100SP
		2" (50 mm)	415600SP
11	Diaphragm Support	1½" (40 mm)	413100
		2" (50 mm)	414800
12	Body Plug Without O-Ring	1½" NPT (40 mm)	413800
		1½" BSP (40 mm)	413805
		2" NPT (50 mm)	415300
		2" BSP (50 mm)	415305
13	O-Ring for Plug	1½" (40 mm)	413900
		2" (50 mm)	415400
14	Reclaimed ID Tag, Purple (10-Pack)		LIT-700



HPV: PLASTIC VALVE

ITEM	DESCRIPTION		CATALOG NO.
1	Solenoid Assembly (Includes Items 2 & 3)	AC Solenoid	606800
		DC Solenoid	458200
2	O-Ring		262600
3	Solenoid Seal		364400
4	Bonnet Screw		266100
5	Bonnet With Flow Control		UNAVAILABLE
6	Bonnet Without Flow Control		266602SP
7	Diaphragm Spring		266000SP
8	Diaphragm Assembly		266902SP
9	Diaphragm Support Ring		265000SP
10	Flow Control Handle	Black	269200
		Purple	269205



IBV-101G: BRASS VALVE

ITEM	DESCRIPTION		CATALOG NO.
1	Solenoid Assembly (Includes Items 2 & 3)	AC Solenoid	606800
		DC-Latching Solenoid	458200
2	Solenoid O-Ring		262600
3	Solenoid Seal		364400
4	Bonnet Assembly (Includes Items 5-8, 11)		900100SP
5	Bleed Screw (10-Pack)		900300SP
6	Flow Control Knob	Standard	899600SP
		Purple Reclaimed	899605SP
7	E-Clip Retainer		387200SP
8	Bonnet		--
9	Bonnet Bolts		669000SP
10	Diaphragm Spring		386700SP
11	Flow Control Stem Assembly (Includes Items 12-14)		900200SP
	Flow Control Stem		--
	Flow Control Stem Nut		--
	Flow Control Stem O-Ring		--
12	Diaphragm Assembly with Filter Sentry® Mechanism		461503SP
13	Diaphragm Support Ring		711900
14	Valve Body		--
15	Filter Sentry Tag (10-Pack)		700392SP
16	Reclaimed ID Tag, Purple (10-Pack)		LIT-700



IBV-151G, IBV-201G: BRASS VALVES

ITEM	DESCRIPTION		CATALOG NO.
1	Solenoid Assembly (Includes Items 2 & 3)	AC Solenoid	833400SP
		DC-Latching Solenoid	458200
2	Solenoid O-Ring		262600
3	Solenoid Seal		364400
4	Bonnet Assembly (Includes Items 5-8, 11)		900800SP
5	Bleed Screw (10-Pack)		901000SP
6	Flow Control Knob	Standard	899600SP
		Purple Reclaimed	899605SP
7	E-Clip Retainer (10-Pack)		371600SP
8	Bonnet		--
9	Bonnet Bolts		669000
10	Diaphragm Spring		365400SP
11	Flow Control Stem Assembly (Includes Items 12-14)		900900SP
	Flow Control Stem		--
	Flow Control Stem Nut		--
	Flow Control Stem O-Ring		--
12	Diaphragm Assembly	Filter Sentry Mechanism	676901SP
13	Diaphragm Assembly	Purple Reclaimed	676902SP
14	Diaphragm Support Ring		365900SP
15	Valve Body		--
16	Filter Sentry Tag (10-Pack)		700392SP
17	Reclaimed ID Tag, Purple (10-Pack)		LIT-700



IBV-301G: BRASS VALVE

ITEM	DESCRIPTION		CATALOG NO.
1	Solenoid Assembly (Includes Items 2 & 3)	AC Solenoid	606800
		DC-Latching Solenoid	458200
2	Solenoid O-Ring		262600
3	Solenoid Seal		364400
4	Bonnet Assembly (Includes Items 5-7, 10)		901700SP
5	Bleed Screw (10-Pack)		902000SP
6	Flow Control Knob	Standard	899600SP
		Purple Reclaimed	899605SP
7	Bonnet		--
8	Bonnet Bolts		669000
9	Diaphragm Spring		518000SP
10	Flow Control Stem Assembly (Includes Items 12-14)		901900SP
	Flow Control Stem		--
	Flow Control Stem Nut		--
	Flow Control Stem O-Ring		--
11	Diaphragm Assembly	Filter Sentry Mechanism	518905
12	Diaphragm Support Ring		514600
13	Valve Body		--
14	Filter Sentry Tag (10-Pack)		700392SP
15	Reclaimed ID Tag, Purple (10-Pack)		LIT-700







ICV-101G: PLASTIC VALVE

ITEM	DESCRIPTION		CATALOG NO.
1	Solenoid Assembly (Includes Items 2 & 3)	AC Solenoid	606800
		DC-Latching Solenoid	458200
2	O-Ring		262600
3	Solenoid Seal		364400
4	Bleed Assembly		561400
5	Bonnet Bolt		386900
6	Flow Control Knob	Black	561200SP
		Purple	561205SP
7	E-Clip Retainer		387200
8	Bonnet		387700
9	Flow Control Stem Assembly (Includes Stem, Stem Nut, O-Ring)		387900
	Flow Control Stem		560900
	Flow Control Stem Nut		386000
	Flow Control Stem O-Ring		387100
10	Spring		386700
11	Diaphragm Assembly – Standard		387800SP
12	Diaphragm Assembly with Filter Sentry Mechanism		461503SP
13	Diaphragm Support Ring		711900
14	Filter Sentry Tag, Yellow (10-Pack)		700392SP
15	Reclaimed ID Tag, Purple (10-Pack)		LIT-700



ICV-151G, ICV-201G: PLASTIC VALVE

ITEM	DESCRIPTION		CATALOG NO.
1	Solenoid Assembly (Includes Items 2 & 3)	AC Solenoid	606800
		DC-Latching Solenoid	458200
2	O-Ring		262600
3	Solenoid Seal		364400
4	Bleed Assembly		561500SP
5	Bonnet Bolt		366700
6	Flow Control Knob	Black	561200SP
		Purple	561205SP
7	E-Clip Retainer		387200
8	Bonnet		380600SP
9	Flow Control Stem Assembly (Includes Stem, Stem Nut, O-Ring)		374600SP
10	Spring		365400SP
11	Diaphragm Assembly – Standard		460026SP
12	Diaphragm Assembly with Filter Sentry Mechanism		460027SP
13	Diaphragm Assembly, Reclaimed		676902SP
14	Diaphragm Support Ring		365900SP
15	Filter Sentry Tag, Yellow (10-Pack)		700392SP
16	Reclaimed ID Tag, Purple (10-Pack)		LIT-700



ICV-301: PLASTIC VALVE

ITEM	DESCRIPTION		CATALOG NO.
1	Solenoid Assembly (Includes Items 2 & 3)	AC Solenoid	606800
		DC-Latching Solenoid	458200
2	O-Ring		262600
3	Solenoid Seal		364400
4	Bleed Screw Assembly, Male Threads (2014 and Older)		N/A
	Bleed Screw Assembly, Female Threads (2015 and Newer)		836600SP
5	Flow Control Knob (2014 and Older)	Black	515000
		Purple	N/A
	Flow Control Knob (2015 and Newer)	Black	836500SP
		Purple	836501SP
6	Bonnet Bolt		386900
7	Bonnet Assembly (Includes Items 4, 5, 8)		856300SP
8	Flow Control Stem Assembly, Female Threads (2014 and Older)		N/A
	Flow Control Stem Assembly, Male Threads (2015 and Newer)		836200SP
9	Diaphragm Spring		518000
10	Diaphragm Assembly		518900SP
11	Diaphragm Assembly with Filter Sentry Mechanism		518905SP
12	Diaphragm Support		514600
13	Port Plug Assembly (Includes O-Ring)	NPT	514900
		BSP	514905
14	Filter Sentry Tag, Yellow (10-Pack)		700392SP
15	Reclaimed ID Tag, Purple (10-Pack)		LIT-700
16	Diaphragm Filter Screen		365200



ACCU SYNC® PRESSURE REGULATOR

ITEM	DESCRIPTION	CATALOG NO.
1	Swivel Adapter	253500SP
2	O-Ring (25-Pack)	262600SP



ICZ-101: DRIP CONTROL ZONE KIT

ITEM	DESCRIPTION		CATALOG NO.
1	Solenoid Assembly (Includes Items 2 & 3)	AC Solenoid	606800
		DC-Latching Solenoid	458200
2	O-Ring (25-pack)		262600SP
3	Solenoid Seal		364400
4	ICV-101G-FS Valve		ICV-101G-FS
5	1" (25 mm) Male x 1" (25 mm) Male NPT Wye Filter Assembly		HY-100
6	Stainless Steel Screen	150-Mesh	606200SP
7	Flush Cap With O-Ring		651900
8	1" (25 mm) Female x 1" (25 mm) Female NPT Pressure Regulator	25 PSI (1.7 bar; 170 kPa)	606000
		40 PSI (2.8 bar; 280 kPa)	652100
9	O-Ring for HY-100		154900
10	Filter Bonnet	Black	133800
	Filter Bonnet, Reclaimed	Purple	133801
11	Reclaimed ID Tag, Purple (10-Pack)		LIT-700



ICZ-101-LF: DRIP CONTROL ZONE KIT

ITEM	DESCRIPTION		CATALOG NO.
1	Solenoid Assembly (Includes Parts 2 & 3)	AC Solenoid	606800
		DC-Latching Solenoid	458200
2	O-Ring (25-pack)		262600SP
3	Solenoid Seal		364400
4	ICV-101G Valve		ICV-101G
5	Filter/Regulator Assembly, 1" (25 mm) x ¾" (20 mm)		HFR-100-075-XX (XX is 25 or 40 PSI; 1.7 or 2.8 bar; 170 or 280 kPa)
6	Stainless Steel Screen	150-Mesh	809300SP
7	Flush Cap with O-Ring		651900
8	O-Ring for HFR-100-075		154900
	Filter Bonnet (No Cap) (Not Shown)	Black	133800
9	Filter Bonnet, Reclaimed	Purple	133801



ICZ-151: DRIP CONTROL ZONE KIT

ITEM	DESCRIPTION	CATALOG NO.
1	Filter Assembly With 150-Mesh SS Screen	HY-151
2	Spare – Stainless Steel Screen, 150-Mesh (Standard)	HY151SCREEN150
	Spare – Stainless Steel Screen, 120-Mesh	HY151SCREEN120
	Spare – Stainless Steel Screen, 80-Mesh	HY151SCREEN080
3	Spare – Disc 125 Micron, 120-Mesh	HY151DISC120
4	Flush Valve	995500SP
5	Flush Cap With O-Ring	651900
6	Senninger 2" (50 mm) Inlet/Outlet Regulator at 40 PSI (2.8 bar; 280 kPa)	PRU-40
7	ICV-151G-FS Valve	ICV-151G-FS



ICZ-201: DRIP CONTROL ZONE KIT

ITEM	DESCRIPTION	CATALOG NO.
1	Filter Assembly With 150-Mesh Stainless Steel Screen	HY-201
	Filter Assembly With 120-Mesh Stainless Steel Disc	HY-201-D
2	Spare Stainless Steel Screen, 150-Mesh (Standard)	HY201SCREEN150
	Spare Stainless Steel Screen, 120-Mesh	HY201SCREEN120
	Spare Stainless Steel Screen, 80-Mesh	HY201SCREEN080
3	Spare Spare 125-Micron Disc, 120-Mesh	HY201DISC120
4	Flush Valve (Optional)	995500SP
5	Flush Cap With O-Ring	651900
6	Senninger 2" (50 mm) Inlet/Outlet Regulator at 40 PSI (2.8 bar; 280 kPa)	PRU-40
7	ICV-201G-FS Valve	ICV-201G-FS



PCZ-101: DRIP CONTROL ZONE KIT

ITEM	DESCRIPTION		CATALOG NO.
1	Solenoid Assembly (Includes Items 2 & 3)	AC Solenoid	606800
		DC- Latching Solenoid	458200
2	O-Ring		262600
3	Solenoid Seal		364400
4	Handle Flow Control		269200
5	PGV-101G Valve		PGV101G
6	Filter/Regulator Assembly		HFR-100-075-25
			HFR-100-075-40
7	Stainless Steel Screen, 150-Mesh		809300SP
8	Flush Cap with O-Ring		651900
9	O-Ring for HFR-100-075		154900
10	Filter Bonnet (No Cap)		133800
	Reclaimed Bonnet, Purple		133801
11	Reclaimed ID Tag, Purple (10-Pack)		LIT-700



Hunter

PCZ-101: DRIP CONTROL ZONE KIT (BEFORE JANUARY 2014)

ITEM	DESCRIPTION		CATALOG NO.
1	Solenoid Assembly (Includes Items 2 & 3)	AC Solenoid	606800
		DC-Latching Solenoid	458200
2	O-Ring		262600
3	Solenoid Seal		364400
4	Handle Flow Control	Black	269200
5	PGV-101G Valve		PGV-101G
6	1" (25 mm) Male x ¾" (20 mm) Male NPT Wye Filter Assembly		HY-100-075-XX (XX is 25 or 40 PSI; 1.7 or 2.8 bar; 170 or 280 kPa)
7	Stainless Steel Screen, 150-Mesh		606200SP
8	Flush Cap With O-Ring		651900
9	O-Ring for HY-100		154900
10	Filter Bonnet (No Cap)	Black	133800



ACZ-075: DRIP CONTROL ZONE KIT

ITEM	DESCRIPTION		CATALOG NO.
1	Solenoid Assembly (Includes Items 2 & 3)	AC Solenoid	606800
		DC-Latching Solenoid	458200
2	O-Ring		262600
3	Solenoid Seal		364400
4	Handle Flow Control	Black	269200
5	¾" (20 mm) PGV-ASV Valve		PGV-075-ASV
6	Filter/Regulator Assembly	25 PSI (1.7 Bar; 170 kPa)	HFR-075-25
		40 PSI (2.8 Bar; 280 kPa)	HFR-075-40
7	Stainless Steel Screen	150-Mesh	809300SP
8	Flush Cap with O-Ring		651900
9	O-Ring for HFR-075		154900
10	Filter Bonnet (No Cap)	Black	133800
	Filter Bonnet, Reclaimed	Purple	133801
11	Reclaimed ID Tag (10-Pack)	Purple	LIT-700



ACZ-075: DRIP CONTROL ZONE KIT (BEFORE JANUARY 2014)

ITEM	DESCRIPTION		CATALOG NO.
1	Solenoid Assembly (Includes Items 2 & 3)	AC Solenoid	434100
		DC-Latching Solenoid	458200
2	O-Ring		262600
3	Solenoid Seal		364400
4	Handle Flow Control	Black	269200
5	¾" (20 mm) PGV-ASV Valve		PGV-075-ASV
6	¾" (20 mm) Male x ¾" (20 mm) Male NPT Wye Filter Assembly		HY-075
7	Stainless Steel Screen	150-Mesh	606200
8	Flush Cap With O-Ring		651900
9	O-Ring for HY-100		154900
10	Filter Bonnet (No Cap)	Black	133800
11	Reclaimed ID Tag	Purple	LIT-700
12	Reclaimed Filter Bonnet	Purple	133801



IBZ-101: BRASS VALVE DRIP CONTROL ZONE KIT

ITEM	DESCRIPTION		CATALOG NO.
1	Solenoid Assembly (Includes Items 2 & 3)	AC Solenoid	606800
		DC-Latching Solenoid	458200
2	O-Ring		262600
3	Solenoid Seal		364400
4	IBV-101G-FS Valve		IBV-101G-FS
5	1" (25 mm) Male x 1" (25 mm) Male NPT Wye Filter Assembly		HY-100
6	Stainless Steel Screen	150-Mesh	606200SP
7	Flush Cap With O-Ring		651900
8	1" (25 mm) Female x 1" (25 mm) Female NPT Pressure Regulator	25 PSI (1.7 bar; 170 kPa)	606000
		40 PSI (2.8 bar; 280 kPa)	652100
9	O-Ring for HY-100		154900
10	Filter Bonnet	Black	133800



IBZ-101-LF: BRASS VALVE DRIP CONTROL ZONE KIT

ITEM	DESCRIPTION		CATALOG NO.
1	Solenoid Assembly (Includes Items 2 & 3)	AC Solenoid	606800
		DC-Latching Solenoid	458200
2	O-Ring		262600
3	Solenoid Seal		364400
4	IBV-101G-FS Valve		IBV-101G-FS
5	Filter/Regulator Assembly, 1" (25 mm) x ¾" (20 mm)		HFR-100-075-XX (XX is 25 or 40 PSI; 1.7 or 2.8 bar; 170 or 280 kPa)
6	Stainless Steel Screen	150-Mesh	809300SP
7	Flush Cap With O-Ring		651900
8	O-Ring for HFR-100-075		154900
9	Filter Bonnet (No Cap)	Black	133800



IBZ-151: BRASS VALVE DRIP CONTROL ZONE KIT

ITEM	DESCRIPTION	CATALOG NO.
1	Filter Assembly With 150-Mesh SS Screen	HY-151
	Filter Assembly With 120-Mesh SS Disc	HY-151-D
2	Spare Stainless Steel Screen, 150-Mesh (Standard)	HY151SCREEN150
	Spare Stainless Steel Screen, 120-Mesh	HY151SCREEN120
	Spare Stainless Steel Screen, 80-Mesh	HY151SCREEN080
3	Spare 125-Micron Disc, 120-Mesh	HY151DISC120
4	Flush Valve (Optional)	995500SP
5	Flush Cap With O-Ring	651900
6	Senninger 2" (50 mm) Inlet/Outlet Regulator at 40 PSI (2.8 bar; 280 kPa)	PRU-40
7	IBZ-151G-FS Valve	IBZ-151G-FS





IBZ-201: BRASS VALVE DRIP CONTROL ZONE KIT

ITEM	DESCRIPTION	CATALOG NO.
1	Filter Assembly With 150-Mesh SS Screen	HY-201
	Filter Assembly With 120-Mesh SS Disc	HY-201-D
2	Spare Stainless Steel Screen, 150-Mesh (Standard)	HY201SCREEN150
	Spare Stainless Steel Screen, 120-Mesh	HY201SCREEN120
	Spare Stainless Steel Screen, 80-Mesh	HY201SCREEN080
3	Spare 125-Micron Disc, 120-Mesh	HY201DISC120
4	Flush Valve (Optional)	995500SP
5	Flush Cap With O-Ring	651900
6	Senninger 2" (50 mm) Inlet/Outlet Regulator at 40 PSI (2.8 bar; 280 kPa)	PRU-40
7	IBV-201G-FS Valve	IBV-201G-FS





HQ3RC: QUICK COUPLER VALVE

ITEM	DESCRIPTION	CATALOG NO.
1	Cover Kit, Yellow Non-Locking	150700
2	Upper Seal Kit (25 Seals)	103600
3	Complete Seal Kit (Does Not Include Brass Body)	149500



HQ33RC, HQ33LRC, HQ33LRCR: QUICK COUPLER VALVE

ITEM	DESCRIPTION		CATALOG NO.
1	Cover Kit	Yellow Non-Locking	150700
		Yellow Locking	158300
		Purple Locking	168000
2	Brass Upper Body Kit		169500
3	Upper Seal Kit (25 Seals)		168100
4	Complete Seal Kit (Does Not Include Brass Body)		168200



HQ44RC, HQ44LRC, HQ44LRCR: QUICK COUPLER VALVE

ITEM	DESCRIPTION		CATALOG NO.
1	Cover Kit	Yellow Non-Locking	168300
		Yellow Locking	168400
		Purple Locking	168500
2	Brass Upper Body Kit		169600
3	Upper Seal (25 Seals)		168600
4	Complete Seal Kit (Does Not Include Brass Body)		168700
5	Handle for HK44 Key (Includes 10 Handles)		169200
6	Lug for HK44 Key (Includes 10 Each)		169400



HQ44RCAW, HQ44LRCAW, HQ44LRCAWR: QUICK COUPLER VALVE

ITEM	DESCRIPTION		CATALOG NO.
1	Cover Kit	Yellow Non-Locking	168300
		Yellow Locking	168400
		Purple Locking	168500
2	Brass Upper Body Kit		169700
3	Upper Seal (25 Seals)		168600
4	Complete Seal Kit (Does not Include Brass Body)		168700
5	Handle for HK44 Key (Includes 10 Handles)		169200



HQ5RC, HQ5LRC, HQ5LRCR: QUICK COUPLER VALVE

ITEM	DESCRIPTION		CATALOG NO.
1	Cover Kit	Yellow Non-Locking	168300
		Yellow Locking	168800
		Purple Locking	168900
2	Upper Seal (25 Seals)		169000
3	Complete Seal Kit (Does Not Include Brass Body)		169100
4	Handle for HK55 Key (Includes 10 Handles)		169300
5	Lug for HK55 Key (Includes 10 Each)		169400



X2™: WI-FI CAPABLE OUTDOOR MOUNT CONTROLLER

ITEM	DESCRIPTION		CATALOG NO.
1	Terminal Cover		989000SP
2	Front Door		989100SP
3	Rear Plastic Enclosure		989200SP
4	Wi-Fi Cover		990200SP
5	Dial		990300SP
6	SmartPort® Wiring Harness	6' (1.8 m) Wire	ROAM-WH
		25' (7.6 m) Wire, Shielded	ROAM-SCWH
7	Transformer	120/24 VAC (U.S.)	998002SP
		230/24 VAC (Europe)	998000SP
		230/24 VAC (Australia)	998001SP
8	Junction Box Cover	120 VAC	10027101SP
		230 VAC	10027102SP
NS	WAND Module Owner's Manual		RC103OM
NS	X2 Controller Quick Start Guide		RC103QG
NS	Door Card		RC103DCX2US

NS = Not Shown



X-CORE®: INDOOR/OUTDOOR MOUNT CONTROLLER

ITEM	DESCRIPTION		CATALOG NO.
1	Indoor Transformer	120/24 VAC (U.S.)	526500
		230/24 VAC (Europe)	545700
		240/24 VAC (Australia)	545500
		230/24 VAC (Argentina)	905800
2	Outdoor Transformer	120/24 VAC (U.S.)	468000
		230/24 VAC (Europe)	545800
		240/24 VAC (Australia)	545600
3	Access Door	Indoor Model	471020
		Outdoor Model	471010
4	Front Door		428000
5	Front Door Hinge Pin		429200
6	Key Set (2)		122516
7	Lock and Key Set		387300
8	3 V Lithium Battery (CR2032)		622032
9	Battery Holder		627800
10	SmartPort® Wiring Harness	6' (1.8 m) Wire	ROAM-WH
		25' (7.6 m) Wire, Shielded	ROAM-SCWH
11	Dial		627300
NS	Owner's Manual		LIT397
NS	Door Card		LIT435

NS = Not Shown











PRO-C®: INDOOR/OUTDOOR MOUNT CONTROLLER

ITEM	DESCRIPTION		CATALOG NO.
1	Front Panel - PC400		821501
2	Main Module - New Pro-C 4-Station, Gray		820200
NS	Ribbon Cable		819900
3	3-Station Expansion Module		PCM-300
4	9-Station Expansion Module		PCM-900
5	16-Station Expansion Module		PCM-1600
6	EZ Decoder Output Module		PC-DM
7	Indoor Transformer	120/24 VAC (U.S.)	526500
		230/24 VAC (European)	545700
		240/24 VAC (Australian)	545500
8	Outdoor Transformer	120/24 VAC (U.S.)	468000
		230/24 VAC (European)	545800
		240/24 VAC (Australian)	545600
9	Key Set (2)		122516
10	Lock & Key Set		387300
11	Front Door (Without Lock)	Outdoor Unit	463100
12	Front Door Hinge Pin		464400
13	Front Door	Indoor Unit	463300
14	SmartPort® Wiring Harness	6' (1.8 m) Wire	ROAM-WH
		25' (7.6 m) Wire, Shielded	ROAM-SCWH

NS = Not Shown



I-CORE®: PLASTIC CABINET

ITEM	DESCRIPTION		CATALOG NO.
1	Front Panel		124705
2	Knob		129300
3	Door Without Lock, Plastic I-Core		131305
4	Lock & Key Set		387300
5	Key Set (2)		122516
6	6-Station Expansion Module		ICM-600
7	48-Station DUAL® Module		DUAL48M
8	Transformer		981700SP
9	Junction Box		123800
10	Junction Box Cover		124000
NS	Power Module (30-Station Models Only)		121405
NS	Ribbon Cable, Plastic I-Core		130800
NS	I-Core Mounting Template		LIT-548
NS	Hanging Door Card	English	LIT-506
NS	Owner's Manual	English	LIT-502
NS	International Kit (Includes Owner's Manual)	Spanish	INT-895
		French	INT-894
		Italian	INT-896
		German	INT-898
		Portuguese	INT-897

NS = Not Shown





I-CORE: METAL CABINET

ITEM	DESCRIPTION		CATALOG NO.
1	Front Panel		124705
2	Knob		129300
3	Door Without Lock, Metal I-Core		125500
4	Lock & Key set		122516
5	Key Set (2)		122516
6	6-Station Expansion Module		ICM-600
7	48-Station DUAL Module		DUAL48M
8	Transformer		981700SP
9	Junction Box		123800
10	Junction Box Cover		124000
NS	Power Module (42-Station Models Only)		141700
NS	Ribbon Cable, Metal/Stainless I-Core		130810
NS	I-Core Mounting Template		LIT-548
NS	Hanging Door Card	English	LIT-506
NS	Owner's Manual	English	LIT-502
NS	International Kit (Includes Owner's Manual)	Spanish	INT-895
		French	INT-894
		Italian	INT-896
		German	INT-898
		Portuguese	INT-897

NS = Not Shown



I-CORE: PLASTIC PEDESTAL

ITEM	DESCRIPTION		CATALOG NO.
1	I-Core Front Panel		124705
2	Lid		*552200
3	Hinge Pin		558400
4	Access Door		*553200
5	Lock & Key Set		558800
6	Key Set (2)		122516
7	SmartPort® Bracket		576000
8	Mounting Template		558600
9	Mounting Hardware		420200
10	SmartPort Wiring Harness 25' (7.6 m) Shielded Cable		ROAM-SCWH
NS	Ribbon Cable - Plastic Ped I-Core		130815
NS	Mounting Kit		581700
NS	Owner's Manual	English	LIT-502
NS	International Kit (Includes Owner's Manual)	Spanish	INT-895
		French	INT-894
		Italian	INT-896
		German	INT-898
		Portuguese	INT-897
NS	Pedestal Junction Box		145415

NS = Not Shown
**Limited availability*

Beginning in 2017, plastic pedestals for all controllers changed to a new design. Models affected include the original ICC, I-Core, and ACC Controllers. (Note: ACC2, ICC2, and HCC Controllers have only been offered with the new design.)

Parts for the new design are not interchangeable with the older design. Before ordering replacement parts, be sure to correctly identify which pedestal you have. While all plastic parts between the two pedestals are different, the easiest way to determine what style you have is to look at the door design:

- Old style: Air vents are located only on the bottom of the door (below the Hunter logo).
- New style: Air vents are located on the top and bottom of the door (above and below the Hunter logo).





HC: WI-FI CONTROLLER

ITEM	DESCRIPTION		CATALOG NO.
1	Indoor Transformer	120/24 VAC (U.S.)	526500
		230/24 VAC (European)	545700
		240/24 VAC (Australian)	545500



HPC: WI-FI CONTROLLER

ITEM	DESCRIPTION		CATALOG NO.
1	HPC Front Panel		HPC-FP
2	Main Module		820200
NS	Ribbon Cable		819900
3	3-Station Expansion Module		PCM-300
4	9-Station Expansion Module		PCM-900
5	16-Station Expansion Module		PCM-1600
6	EZ Decoder Output Module		PC-DM
7	Outdoor Transformer	120/24 VAC (U.S.)	468000
		230/24 VAC (Europe)	545800
		240/24 VAC (Australia)	545600
8	Key Set (2)		122516
	Lock and Key Set		387300
9	Front Door (Without Lock) – Outdoor Unit		463100
10	Front Door Hinge Pin		464400
11	SmartPort® Wiring Harness	6' (1.8 m) Wire	ROAM-WH
		25' (7.6 m) Wire, Shielded	ROAM-SCWH

NS = Not Shown





PRO-HC: WI-FI CONTROLLER

ITEM	DESCRIPTION		CATALOG NO.
1	Outdoor Transformer	120/24 VAC (U.S.)	468000
		230/24 VAC (European)	545800
		240/24 VAC (Australian)	545600
2	Junction Box Cover (Outdoor Model)	120/24 VAC (U.S.)	930301
		230/24 VAC (European, Australian)	930302
3	Front Door	(Outdoor Model)	930700
4	Inside Panel		930400
5	Hinge Pin		464400
6	Key Set (2)		122516



HCC: WI-FI CONTROLLER, PLASTIC CABINET

ITEM	DESCRIPTION		CATALOG NO.
1	Front Panel*		941500
2	Ribbon Cable*		819901
3	Power Module*		941800
4	Front Door (With Lock)		917000
NS	Lock and Key Set (Not Shown)		387300
5	Transformer		981700SP
6	SmartPort®	6' (1.8 m) Wire	ROAM-WH
NS	Wiring Harness	25' (7.6 m) Wire, Shielded	ROAM-SCWH
7	4-Station Output Module		ICM-400
8	8-Station Output Module		ICM-800
9	22-Station Output Module		ICM-2200
10	EZ Decoder Output Module		EZ-DM

**Items 1 thru 3 vailable together in HCC Retrofit Upgrade Kit for ICC and ICC2: HCCFPUP*

NS = Not Shown



HCC: WI-FI CONTROLLER, METAL CABINET

ITEM	DESCRIPTION		CATALOG NO.
1	Front Panel		941500
2	Ribbon Cable		819901
3	Power Module		941800
4	Metal Front Door (With Lock)		917101
5	Stainless Steel Front Door (With Lock)		917100
NS	Lock and Key Set (Not Shown)		387300
6	Inner Door		904000
7	Transformer		981700SP
8	SmartPort®	6' (1.8 m) Wire	ROAM-WH
NS	Wiring Harness	25' (7.6 m) Wire-Shielded	ROAM-SCWH
NS	Pedestal for Metal Wall-Mount, Gray		ICC-PED
NS	Pedestal for Stainless Wall-Mount - SS		ICC-PED-SS
NS	Pedestal Wiring Board for Metal Pedestals (Optional)		ICC-PWB
9	4-Station Output Module		ICM-400
10	8-Station Output Module		ICM-800
11	22-Station Output Module		ICM-2200
12	EZ Decoder Output Module		EZ-DM

**Items 1 thru 3 vailable together in HCC Upgrade Kit model: HCCFPUP*

NS = Not Shown



ICC2: PLASTIC CABINET

ITEM	DESCRIPTION		CATALOG NO.
1	Front Panel		904700
2	Ribbon Cable		819901
3	Power Module		904600
4	Front Door (with Lock)		917000
5	Lock and Key Set		387300
6	Transformer		981700SP
7	SmartPort®	6' (1.8 m) Wire	ROAM-WH
NS	Wiring Harness	25' (7.6 m) Wire, Shielded	ROAM-SCWH
8	4-Station Output Module		ICM-400
9	8-Station Output Module		ICM-800
10	22-Station Output Module		ICM-2200
11	EZ Decoder Output Module		EZ-DM

NS = Not Shown



ICC2: METAL CABINET

ITEM	DESCRIPTION		CATALOG NO.
1	Front Panel		904700
2	Ribbon Cable		819901
3	Power Module		904600
4	Metal Front Door (With Lock)		917101
5	Stainless Steel Front Door (With Lock)		917100
NS	Lock and Key Set		387300
6	Inner Door		904000
7	Transformer		981700SP
8	SmartPort®	6' (1.8 m) Wire	ROAM-WH
	Wiring Harness	25' (7.6 m) Wire-Shielded	ROAM-SCWH
9	4-Station Output Module		ICM-400
10	8-Station Output Module		ICM-800
11	22-Station Output Module		ICM-2200
12	EZ Decoder Output Module		EZ-DM

NS = Not Shown



ACC2 DECODER REPLACEMENT PARTS A2C-75D-M, A2C-75D-P

ITEM	DESCRIPTION	CATALOG NO.
1	Replacement Facepack	889900
2	Facepack Door Frame	889300
3	Facepack Cable	892700
NS	Facepack Cable, Long (Pedestal Configurations)	892701
4	Power Supply Board	889000
5	75-Station Output Module (Decoder Version Only)	A2C-D75
6	Transformer Assembly	885600
7	Deck Assembly, Decoder (Decoder Version Only), Includes PCU Board	884301
8	ACC2 Decoder Fuse Tool	189784
9	Gray Metal Front Door Assembly, Includes Lock	893000
10	Stainless Front Door Assembly, Includes Lock	893001
11	Plastic Front Door Assembly, Includes Lock	943200
12	Hinge Pin for Plastic Door Only	800501
13	Door Lock (751 Key)	893200
NS	Wall-Mount Bracket	893400
14	PCU Board (Decoder Version Only)	925200
NS	Short Ribbon Cable for Communication Modules	10026200SP
NS	Replacement Transformer Fuses (10 Pack)	960300
NS	Hole Plug Kit (Includes Wire Nuts, Terminal Block, etc.)	968200
NS	Alternative Wall-Mount Key/Lock Assembly (701 Key)	387301
NS	Alternative Wall-Mount Key/Lock Assembly (702 Key)	387302
NS	Alternative Wall-Mount Key/Lock Assembly (703 Key)	387303
NS	Gray Metal Pedestal for Use with I-Core, ACC, and ACC2 Controllers	ACC-PED

NS = Not Shown



ACC2 CONVENTIONAL REPLACEMENT PARTS (A2C-1200-M, A2C-1200-P)

ITEM	DESCRIPTION	CATALOG NO.
1	Replacement Facepack	889900
2	Facepack Door Frame	889300
3	Facepack Cable	892700
NS	Facepack Cable, Long (Pedestal Configurations)	892701
4	Power Supply Board	889000
5	6-Station Output Module	A2M-600
6	Transformer Assembly	885600
7	Deck Assembly, Conventional	884200
8	Gray Metal Front Door Assembly, Includes Lock	893000
9	Stainless Front Door Assembly, Includes Lock	893001
10	Plastic Front Door Assembly, Includes Lock	943200
11	Hinge Pin	800501
12	Door Lock (751 Key)	893200
NS	Short Ribbon cable for communication modules	10026200SP
NS	Wall-Mount Bracket	893400
NS	Replacement Transformer Fuses (10 Pack)	960300
NS	Hole Plug Kit (Inc. Wire Nuts, Terminal Block, etc.)	968200
NS	Alternative Wall-Mount Key/Lock Assembly (701 Key)	387301
NS	Alternative Wall-Mount Key/Lock Assembly (702 Key)	387302
NS	Alternative Wall-Mount Key/Lock Assembly (703 Key)	387303
NS	Stainless Steel Pedestal for use with I-Core, ACC, and ACC2 Controllers	PED-SS

NS = Not Shown



PLASTIC PEDESTAL (2017 TO PRESENT)

Beginning in 2017, plastic pedestals for all controllers changed to a new design. Models affected include the original ICC, I-Core, and ACC Controllers. (Note: ACC2, ICC2, and HCC Controllers have only been offered with the new design.)

Parts for the new design are not interchangeable with the older design. Before ordering replacement parts, be sure to correctly identify which pedestal you have. While all plastic parts between the two pedestals are different, the easiest way to determine what style you have is to look at the door design:

- Old style: Air vents are located only on the bottom of the door (below the Hunter logo).
- New style: Air vents are located on the top and bottom of the door (above and below the Hunter logo).

ITEM	DESCRIPTION		CATALOG NO.
1	Lid Kit (Includes Key Lock)		512300
2	Hinge Pin		558400
NS	Lock & Key Set		558000
3	Key Set (2)		122516
4	Access Door (Includes Foam Screens)		511800
5	Full Pedestal Shell (Doors, Lid, Divider, etc.)		806601
6	Mounting Template Kit		581700
NS	SmartPort® Kit (Mounting Bracket, Screws, Conduit Nut, SmartPort Assembly)	ICC2/ HCC/ I-Core	945702
		ACC/ACC2	945701
NS	Facepack Adapter	ICC2/HCC	968600
		I-Core	832500
		ACC	145500
		ACC2	933300
NS	HCC/ICC2 Plastic Pedestal Ribbon Cable		819902

NS = Not Shown



ACC: PEDESTAL CONTROLLER

ITEM	DESCRIPTION	CATALOG NO.
1	Front Faceplate Facepack (ACC)	571500
NS	Front Facepack (AGC)	571505
2	Front Facepack Door Only	620000
3	Plastic Ped Com and Radio Bracket, Including Ribbon Cable	APPBRKT
4	Frame Adapter	145500
5	Lid, Including Lock**	553305
6	Lid Antenna for Ped, UHF	IMMSANT2
7	Lid Hinge Pin	558400
8	SmartPort® Bracket	576000
9	SmartPort Wiring Harness	112210
10	Master Module	572000
11	Decoder Output Module	ADM-99
NS	6-Station Output Module*	A2M-600
12	Transformer Assembly	587000
13	J-Box	145410
14	Pedestal Door with Screen**	553205
NS	Lock & Key Set	558000
NS	Key Set (2)	122516
NS	ACC Ped Inner Panel Cabinet With Transformer	621230
15	Ribbon, Inner Controller to Facepack Door	585105
16	Mounting Template Kit, Includes Template 558600 and Hardware 420200	581700
17	Ribbon, Extension for Com Modules in Pedestals	619900
NS	Mounting Template Only	558600
NS	Mounting Hardware Only	420200

**Replaces ACM-600 and AGM-600, which are no longer available*
***Limited availability*
NS = Not Shown

Beginning in 2017, plastic pedestals for all controllers changed to a new design. Models affected include the original ICC, I-Core, and ACC Controllers. (Note: ACC2, ICC2, and HCC Controllers have only been offered with the new design.)

Parts for the new design are not interchangeable with the older design. Before ordering replacement parts, be sure to correctly identify which pedestal you have. While all plastic parts between the two pedestals are different, the easiest way to determine what style you have is to look at the door design:

- Old style: Air vents are located only on the bottom of the door (below the Hunter logo).
- New style: Air vents are located on the top and bottom of the door (above and below the Hunter logo).



ACC: WALL-MOUNT CONTROLLER

ITEM	DESCRIPTION	CATALOG NO.
1	Front Faceplate Facepack	571500
2	Front Facepack Door Frame	589000
3	Metal Front Door Without Lock	585500
4	Lock & Key Set	387300
5	Key Set (2)	122516
6	Shell Kit, Includes Metal Cabinet, Plastic Backplane, Transformer, and Master Module*	ACCSHELLKIT
7	Door Ribbon Cable (Wall-Mount Only)	585100
8	Transformer Assembly	587000
9	Master Module	572000
10	Small Hole Plug	654400
11	Large Hole Plug	654500
12	SmartPort® Assembly, Including Nut	112200

** Replaces part 586005, which is no longer available*
***Replaces ACM-600 and AGM-600, which are no longer available*



COMMUNICATIONS MODULES AND PARTS

ITEM	DESCRIPTION	CATALOG NO.
13	6-Station Output Module**	A2M-600
14	Decoder Output Module	ADM-99
15	Com Module for Dial-Up (POTS)	N/A
	Com Module for Radio and Hardwire Only	ACC-COM-HWR
	Com Module for Ethernet	ACC-COM-LAN
	Com Module for LTE Cellular	ACC-COM-LTE
16	Hardwire Interface Module	ACC-HWIM
NS	Antenna for GSM or GPRS (U.S.)	666251
NS	Antenna for GSM or GPRS (International)	666261
17	UHF Radio (No Antenna)	RAD3
18	Antenna Isolation Module	AIM-BNC

NS = Not Shown

***Replaces ACM-600 and AGM-600, which are no longer available*



IMMS-CCC: IRRIGATION MANAGEMENT AND MONITORING SYSTEM

ITEM	DESCRIPTION		CATALOG NO.
1	Central Computer Communications Unit (Includes Items 1 & 3)	U.S.	IMMS-CCC
		International	IMMS-CCC-E
		AU/NZ	IMMS-CCC-A
2	Terminal Plugs (1 CCC GCBL & 1 Set of Interface Plugs)		629800





ICD-HP COMPONENTS

ITEM	DESCRIPTION	CATALOG NO.
1	Programming Cup	177600
2	Programming Cable 6' (1.8 m) With Connectors	180504
3	Red and Blue 6' (1.8 m) Leads	180508
4	Carrying Case	205800



IDS: PLASTIC PEDESTAL

ITEM	DESCRIPTION	CATALOG NO.
1	Lid Kit	FCPLKT
2	Cap Kit	FCPCKT
3	Door Kit (1 per Kit)	FCPDKT
4	Side Kit	FCPSKT
5	Base Kit	FCPBKT
6	Template Kit	TEMPLT2
7	Lock Assembly, Door	FCPDLKT
8	Lock Assembly, Lid	FCPLLKT
9	Plastic Backplane for Mounting Electronic Components (Also Rear Panel of Wall-Mount, Includes Gasket Tape – No Components)	BACKPLANEKT



IDS: CONTROLLER COMPONENTS

ITEM	DESCRIPTION	CATALOG NO.
1	IDS Facepack Kit	IDSKTFP
2	Decoder Power Supply Board Kit	VKTPSB2
3	Decoder Lightning/Output Board	VLPTKT
4	Decoder CPU Board	VCPUKT
NS	RJ45 Cable	516238
NS	IDS Instruction Card/Zone Label Inside Door	562242
5	Power Supply Board Wire Harness	516140
NS	IDS Controller Manual	LIT-376
6	Transmitter Cable	516143
7	Viking Transmitter Board	VTRNSKT
TRANSFORMER OPTIONS		
8	Decoder Transformer Kit 110 VAC (Plastic and S Series)	FCPVKTTFR2

NS = Not Shown



ROAM: REMOTE CONTROL UNIT

ITEM	DESCRIPTION		CATALOG NO.
1	ROAM Transmitter		ROAM-TR
2	ROAM Receiver		ROAM-R
3	SmartPort® Wiring Harness	6' (15 cm) Wire	ROAM-WH
		25' (7.6 m) Wire, Shielded	ROAM-SCWH
4	SmartPort Wall-Mount Bracket		258200
NS	Owner's Manual	English	LIT-477

NS = Not Shown









ROAM XL: REMOTE CONTROL UNIT

ITEM	DESCRIPTION		CATALOG NO.
1	ROAM XL Antenna		522701
2	ROAM XL Transmitter		ROAM-XL-TR
3	ROAM XL Receiver		ROAM-XL-R
4	SmartPort® Wiring Harness	6' (1.8 m) Wire	ROAM-WH
		25' (7.6 m) Wire, Shielded	ROAM-SCWH
NS	ROAM XL Antenna Extension Kit		ROAMXL-EXT

NS = Not Shown

PSR: PUMP START RELAY

ITEM	DESCRIPTION		CATALOG NO.
1	Door Without Lock		468800
2	Door Hinge Pin		469000
3	Contactors	PSR-22	469201
4	Grounding Block		501600
5	Cabinet		468700
6	Key Set (2)		122516
NS	Lock & Key Set		387300

NS = Not Shown





PSR-B: PUMP START RELAY BOOSTER

ITEM	DESCRIPTION	CATALOG NO.
1	Cabinet	527100
2	Transformer (Dual Voltage 110/220 24 V 40 VA)	981700SP
3	Heavy-Duty DPDT Relay	REL2
4	Door Hinge Pin	429200
5	Front Door	428000
6	Lock & Key Set	387300
7	Key Set (2)	122516



NODE: BATTERY-POWERED CONTROLLER

ITEM	DESCRIPTION	CATALOG NO.
1	Rubber Cover	297100
2	Tray Holder	881600
3	O-Ring	252105
4	DC-Latching Solenoid	458200
5	Solar Battery Charger	517500
6	Solar Panel With Mounting Assembly	517300
7	Mounting Adapter	951500



NODE-BT: BLUETOOTH® BATTERY-POWERED CONTROLLER

ITEM	DESCRIPTION	CATALOG NO.
1	O-Ring	966600SP
2	Rubber Cover	967200SP
3	Endcap Battery Cover	966800SP
4	Endcap Battery Ring	967100SP
5	DC-Latching Solenoid	458200
6	Tray Holder	881600
7	Mounting Adapter	951500



The Bluetooth® word mark and logos are registered trademarks owned by Bluetooth SIG Inc. and any use of such marks by Hunter Industries is under license.

XC HYBRID: MOUNTED BATTERY-POWERED PLASTIC CONTROLLER

ITEM	DESCRIPTION		CATALOG NO.
1	Indoor Transformer (Optional)	120/24 VAC (U.S.)	526500
		230/24 VAC (European)	545700
		240/24 VAC (Australian)	545500
2	Access Door	Outdoor Model	471010
3	Battery Holder (6AA Not Included)		152200
4	Front Door		428000
5	Front Door Hinge Pin		429200
6	Key Set (2)		122516
NS	Lock & Key Set		387300
7	Solar Battery Charger		517400
8	Solar Panel With Mounting Assembly		517300
9	Dial		627300

NS = Not Shown



XC HYBRID: MOUNTED BATTERY-POWERED STAINLESS STEEL CONTROLLER

ITEM	DESCRIPTION		CATALOG NO.
1	Indoor Transformer (Optional)	120/24 VAC (U.S.)	526500
		230/24 VAC (European)	545700
		240/24 VAC (Australian)	545500
2	Battery Holder (6 C Cells Not Included)		194913
3	Access Panel		176600
4	Stainless Steel Door		176200
5	Stainless Steel Rear Enclosure		148100
6	Solar Battery Charger		517400
7	Solar Panel With Mounting Assembly		517300
8	Dial		627300
9	Mounting Bracket Only		XCHSPB
10	Pole and Mounting Bracket Kit		XCHSPOLE
11	Key Set (2)		122516



















MINI-CLIK®: RAIN SENSOR

ITEM	DESCRIPTION	CATALOG NO.
1	Cap and Spindle Assembly	440200SP
2	Bracket	439700
3	Sensor Gutter Mount	SGM





WIRED RAIN-CLIK®: RAIN SENSOR

ITEM	DESCRIPTION	CATALOG NO.	LIST PRICE $
1	Cap and Spindle Assembly	505900SP	5.00
2	Bracket	439700	12.00
3	Sensor Gutter Mount	SGM	6.00



WIRELESS MINI-CLIK: RAIN SENSOR

ITEM	DESCRIPTION	CATALOG NO.
1	Wireless Mini-Clik Transmitter Only	WM-CLIK-TR
2	Wireless Mini-Clik Cap With Spindle Assembly	10023600SP
3	Wireless Mini-Clik Quick Shutoff Cover	10023900SP
4	Mounting Bracket	439700
5	Sensor Gutter Mount	SGM
6	Receiver Assembly	WR-CLIK-R
7	Receiver Rubber Cover	231300SP
8	Vandal-Resistant Wireless Sensor Guard for Flat Surfaces or Pole Mounting	WS-GUARD
9	Vandal-Resistant Wireless Receiver Guard for Pedestal Mounting	WR-GUARD



WIRELESS RAIN-CLIK: RAIN SENSOR

ITEM	DESCRIPTION	CATALOG NO.	LIST PRICE $
1	Cap and Spindle Assembly	505900SP	5.00
2	Transmitter Assembly	WR-CILK-TR	79.75
3	Mounting Bracket	439700	12.00
4	Sensor Gutter Mount	SGM	6.00
5	Receiver Assembly	WR-CLIK-R	103.00



SOLAR SYNC®: ET SENSOR

ITEM	DESCRIPTION	CATALOG NO.
1	Cap and Spindle Assembly	505900SP
2	Bracket	439700
3	Sensor Gutter Mount	SGM
4	Solar Sync Sensor (Wired)	SOLAR-SYNC-SEN
5	Wireless Solar Sync Sensor	WSSTR
6	Wireless Solar Sync Receiver	WSSR
7	Wall-Mount Bracket	258200
8	Wall-Mount Bracket Extender	222600SP



ET SYSTEM

ITEM	DESCRIPTION	CATALOG NO.
1	ET Anemometer	ET-WIND
2	ET Sensor Platform	ET-SENSOR
3	SmartPort® Adapter for ACC	ET-ADAPTOR
4	100' (30 m) Direct Burial Wire	206100
5	ET Control Module	ET-MODULE
NS	Spare Lithium Battery	622032
NS	Mounting Bracket Hardware	ET-HARDWARE

NS = Not Shown



TOOLS

ITEM	DESCRIPTION	CATALOG NO.
1	Turf Plug Cutter	150500
2	Rotor Pitot Gauge	280100SP
3	Nozzle Insertion Collar	123200SP
4	Hand Pump for Water Extraction	217500SP
5	Wrench	172000SP
6	Subsurface Stabilizer Flange (I-25/I-40/I-50)	222700SP









STATEMENT OF WARRANTY

Hunter Residential and Commercial Irrigation Products

Hunter Industries Incorporated ("Hunter") warrants the following products to be free of defects in materials or workmanship under normal use in landscape irrigation applications for the specified period of time outlined below from the original date of manufacture:

ONE YEAR	**ROTORS**	SRM	**MICRO**	Micro Sprays, PLD Fittings, Rigid Risers, Air/Vacuum Relief Valves
TWO YEARS	**ROTORS**	PGP-ADJ, PGJ, HCV	**CONTROLLERS**	ACC (Legacy), BTT, Hydrawise Controllers (HC, WAND, PHC, HPC, and HCC), I-Core/DUAL (Legacy), NODE, NODE-BT, Pro-C, PSR, ROAM, X2, XC Hybrid, and X-Core
	SPRAYS	PS Ultra, SJ, FlexSG, HSBE	**SENSORS**	HC Flow Meter (wired and wireless)
	NOZZLES	Spray Nozzles, PCN, PCB, AFB, MSBN	**MICRO**	ACZ, Accu Sync, PCZ, RZWS, Point-Source Emitters, Tubing, Multi-Port Emitters, IH Risers, MLD, Eco-Indicator, Multi-Purpose Box, Senninger Regulators, PLD-LOC Fittings
	VALVES	PGV Family	**TOOLS**	SpotShot
	CENTRAL	IMMS Central Control Products (Legacy), A2C-WIFI, A2C-LAN, A2C-LTE, LANKIT, WIFIKIT, CELLKIT		
THREE YEARS	**CONTROLLERS**	ROAM XL, EZ Decoder System, EZ-DT	**MP ROTATOR**	All
FIVE YEARS	**ROTORS**	PGP Ultra, I-20, I-25, I-40, I-50, I-80, and I-90	**CONTROLLERS**	ACC2, ICC2, ICD Decoders, ICD-HP
	SPRAYS	Pro-Spray, Pro-Spray PRS30, and Pro-Spray PRS40	**SENSORS**	Clik Sensors, Flow-Sync, MWS, Solar Sync, Wireless Flow Sensor
	VALVES	HQ, ICV, IBV	**MICRO**	ICZ, HDL, HDL-COP**, Eco-Mat, Eco-Wrap

Hunter Golf and ST System Irrigation Products*

Hunter will repair, replace, or repurchase, at its sole discretion, any defective component* assemblies contained within the Golf and ST products listed below by category, returned freight prepaid, from the date of manufacture within a period of:

ONE YEAR	**GOLF CONTROLLERS**	Pilot Command Center Software, Pilot-FC, Pilot-FI, Pilot Hub
THREE YEARS	**GOLF ROTORS**	TTS-800 Series, G-800 Series, G-900 Series, B-Series
	GOLF TWO-WAY MODULES	Pilot 100, Pilot 200, Pilot 400, Pilot 600
FIVE YEARS	**GOLF ROTORS**	The golf rotor component warranty is extended to 5 years with a one-for-one purchase of an HSJ Swing Joint from an authorized Hunter Golf distributor.
	SWING JOINTS	HSJ-0, HSJ-1, HSJ-2, HSJ-3
	ST ROTORS	ST-90, STG-900, ST-1200, ST-1600
	ST ACCESSORIES	All models starting with "ST"
	COMPUTER, PRINTERS & ACCESSORIES, MAINTENANCE RADIO & BATTERY	Equipment manufacturer's warranty (no Hunter warranty)

* Warranty covers repair, replacement, or repurchase of individual defective component assemblies contained within the product. Returns of complete finished goods are not allowed under warranty without prior approval from the Hunter Product Manager.

If used for agricultural applications, Hunter limits the warranty for valves, sprays, MP Rotator Nozzles, and rotor products to a period of one (1) year from the original date of manufacture. This agriculture limitation supersedes all other warranties expressed or implied.

**While the use of copper does not completely remove the chance of root intrusion, it has been shown to assist in its prevention when coupled with proper irrigation scheduling.

Hunter® | *Built on Innovation®*

Statement of Warranty, Continued

If a defect in a Hunter product is discovered during the applicable warranty period, Hunter will repair or replace, at its option, the product or the defective part. This warranty does not extend to repairs, adjustments, or replacement of a Hunter product or part that results from misuse, negligence, alteration, modification, tampering, or improper installation and/or maintenance of the product. This warranty extends only to the original installer of the Hunter product. If a defect arises in a Hunter product during the warranty period, contact your local Hunter Authorized Distributor.

Hunter's warranty applies only to products installed as specified and used as intended for irrigation purposes. Hunter's warranty shall be limited to defects in materials and workmanship during the warranty period, and shall not extend to situations in which the product was subjected to improper design, installation, operation, maintenance, application, abuse, improper electrical current, grounding, service other than by Hunter authorized agents, operating conditions other than that for which it was designed, or in systems using water containing corrosive chemicals, electrolytes, sand, dirt, silt, rust, or agents that otherwise attack and degrade plastics. Hunter's warranty does not cover component failures caused by lightning strikes, electrical power surges, or unconditioned power supplies. If products are repurchased, the price to Distributor for such products in effect at the time of return will apply.

Hunter's obligation to repair, replace, or repurchase its products or product components as set forth above is the sole and exclusive warranty extended by Hunter. There are no other warranties, expressed or implied, including warranties of merchantability and warranties of fitness for a particular purpose. Hunter will not be liable to a distributor or to any other party in strict liability, tort, contract, or any other manner for any damages caused or claimed to be caused as a result of any design of or defect in Hunter's products, or for any special, incidental, or consequential damages of any nature.

Where applicable, Hunter's statement of warranty complies with local directives.

If you have any questions concerning the warranty or its application, please email support@hunterindustries.com.

ASAE CERTIFICATION STATEMENT

Hunter Industries Incorporated certifies that pressure, flow rate, and radius data for these products were determined and listed in accordance with ASAE Standard S398.1, Procedure for Sprinkler Testing and Performance Reporting, and are representative of performance of production sprinklers at the time of publication. Actual product performance may differ from the published specifications due to normal manufacturing variations and sample selection. All other specifications are solely the recommendation of Hunter Industries Incorporated.

Helping our customers succeed is what drives us. While our passion for innovation and engineering is built into everything we do, it is our commitment to exceptional support that we hope will keep you in the Hunter family of customers for years to come.

Gregory R. Hunter, CEO of Hunter Industries

Gene Smith, President, Landscape Irrigation and Outdoor Lighting

Website hunterindustries.com | **Customer Support** +1-760-752-6037 | **Technical Service** +1-760-591-7383

© 2022 Hunter Industries™, the Hunter logo, and all other trademarks are property of Hunter Industries, registered in the U.S. and other countries. Please recycle.

21-1494 RevS 10/22